

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

InoTec Pickling Paste RS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal surface treatment products

1.3. Details of the supplier of the safety data sheet

Company name: Caree Chemie GmbH
Street: Hüttenstr. 31
Place: D-52355 Düren
Telephone: +49 (0) 2421/22593-50
e-mail: sds@caree-chemie.de
Internet: www.caree-chemie.de

Telefax: +49 (0) 2421/22593-22

1.4. Emergency telephone number:

+49 (0) 761/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290
Acute Tox. 2; H310
Acute Tox. 3; H301
Acute Tox. 3; H331
Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Nitric acid
Hydrofluoric acid

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H301+H331 Toxic if swallowed or if inhaled.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 2 of 10

P305+P351+P338 water or shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7697-37-2	Nitric acid			<25%
	231-714-2	007-004-00-1	01-2119487297-23	
	Ox. Liq. 2, Met. Corr. 1, Acute Tox. 1, Acute Tox. 4, Skin Corr. 1A; H272 H290 H330 H302 H314 EUH071			
7664-39-3	Hydrofluoric acid			<10%
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid			<2%
	226-218-8	016-026-00-0	01-2119488633	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	Nitric acid	<25% %
	inhalation: LC50 = 2,6 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); dermal: LD50 = 2740 mg/kg; oral: LD50 = 1530 mg/kg Ox. Liq. 2; H272: >= 99 - 100 Ox. Liq. 3; H272: >= 70 - < 99		
7664-39-3	231-634-8	Hydrofluoric acid	<10% %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1		
5329-14-6	226-218-8	sulfamic acid, sulphamic acid, sulphamidic acid	<2% %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 3160 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Avoid extrusion. Avoid direct contact to eyes, skin or clothes. Wear dense protective clothing. Take off contaminated clothing immediately. Call a physician immediately. Remove affected person from the danger area. First aider: pay attention to self-protection! In case of unconsciousness bring patient in recovery position. Suspicion of poisoning demands medical survey. Symptoms may arise up to 48 h after contact.

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 3 of 10

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. After inspiration of steam or aerosol consult a physician immediately. Bring patient to fresh air. Give patient calcium tablets and keep him calm. Let inhale oxygen in case of breathlessness.

After contact with skin

Call a physician immediately. Instant medical treatment essential. Untreated burns lead to badly healing wounds. Flush with water, afterwards apply Ca-gluconate gel and massage it into skin. Larger injuries (> 150 cm²) require additional donation of 6 calcium tablets (400 mg each), solved in water. Repeat procedure every 2 hrs before reaching the hospital. Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Spasms, bronchitis, bloody vomiting, circulation problems, danger of blindness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Product for removing coatings on surfaces

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Metal surface treatment products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	WEL
		3	2.5		STEL (15 min)	WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid			
Worker DNEL, long-term		dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	5 mg/kg bw/day

PNEC values

CAS No	Substance	Value
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid	
Freshwater		0,048 mg/l
Marine water		0,0048 mg/l

8.2. Exposure controls



Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 5 of 10

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles, Eye glasses with side protection (DIN EN 166).

Hand protection

Suitable material: PVC (polyvinyl chloride), Thickness of the glove material = 1,2 mm, Permeation time (maximum wear time) > 480 min

Tested protective gloves must be worn, EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. DIN EN 14605

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
Filtering device (full mask or mouthpiece) with filter: blue EN 148-1

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	colourless
Odour:	stinging

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	not applicable

Flammability

Solid/liquid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

Self-ignition temperature

Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined
pH-Value (at 20 °C):	1,2
Viscosity / dynamic: (at 20 °C)	>10000 mPa·s
Water solubility:	easily soluble

Solubility in other solvents

not determined

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 6 of 10

Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,2 g/cm ³
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties

Not oxidizing.

Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

Corrosive to metals. Slowly corrodes aluminium and zinc under hydrogen evolution.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

frost, temperature > 35 °C

10.5. Incompatible materials

Metal. Keep away from: Base, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x), Hydrogen fluoride

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) 69,8 mg/kg; ATE (dermal) 70,4 mg/kg; ATE (inhalation vapour) 4,50 mg/l; ATE (inhalation dust/mist) 0,544 mg/l

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 7 of 10

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7697-37-2	Nitric acid					
	oral	LD50 mg/kg	1530	Rat		
	dermal	LD50 mg/kg	2740	Rat		
	inhalation (4 h) vapour	LC50	2,6 mg/l	Rat	OECD 403	
	inhalation dust/mist	ATE mg/l	0,005			
7664-39-3	Hydrofluoric acid					
	oral	ATE	5 mg/kg			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid					
	oral	LD50 mg/kg	3160	Rat		
	dermal	LD50 mg/kg	>2000	Ratte		

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7697-37-2	Nitric acid					
	Acute fish toxicity	LC50 mg/l	12,5	96 h Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50 mg/l	8800	48 h Daphnia pulex (water flea)		
5329-14-6	sulfamic acid, sulphamic acid, sulphamidic acid					
	Acute fish toxicity	LC50 mg/l	70,3	96 h Pimephales promelas		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7697-37-2	Nitric acid	-0,21

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 8 of 10

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 2922

14.2. UN proper shipping name:

CORROSIVE LIQUID, TOXIC, N.O.S.
(Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+6.1



Classification code:

CT1

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

Transport category:

2

Hazard No:

86

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 2922

14.2. UN proper shipping name:

CORROSIVE LIQUID, TOXIC, N.O.S.
(Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+6.1



Classification code:

CT1

Special Provisions:

274 802

Limited quantity:

1 L

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 9 of 10

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number or ID number:

UN 2922

14.2. UN proper shipping name:

CORROSIVE LIQUID, TOXIC, N.O.S.
(Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+6.1



Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 2922

14.2. UN proper shipping name:

CORROSIVE LIQUID, TOXIC, N.O.S.
(Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+6.1



Special Provisions:

A3 A803

Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

Warning: Toxic. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Safety Data Sheet

according to UK REACH Regulation

InoTec Pickling Paste RS

Revision date: 29.11.2022

Product code: 99-994

Page 10 of 10

Water hazard class (D):

2 - obviously hazardous to water

Skin resorption/Sensitization:

Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 2; H310	Calculation method
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H331	Calculation method
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H301+H331	Toxic if swallowed or if inhaled.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)